

AMENDMENTS TO THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) A headphone module assembly comprising:
  - a headphone module including a carrier operable for mounting in a PC card slot provided in a computer chassis;
  - a retractor member mounted on the carrier;
  - a flexible cord extendibly and retractably connected to the retractor member, the cord including at least one headphone connected to a first cord end and a connector connected to a second cord end opposite the first end; and
  - a headphone receptacle on the carrier.
2. (Original) The assembly as defined in claim 1 wherein the cord includes two headphones.
3. (Original) The assembly as defined in claim 1 wherein the retractor member is a cord reel.
4. (Original) The assembly as defined in claim 1 wherein the carrier includes a first end and a second end opposite the first end, the headphone receptacle being at the first end.
5. (Original) The assembly as defined in claim 4 wherein the connector is adjacent the headphone receptacle.
6. (Original) The assembly as defined in claim 4 wherein the connector is adjacent the second end.

7. (Original) The assembly as defined in claim 1 wherein the carrier includes mounting rails.
8. (Original) A computer comprising:
  - a body of the computer having a PC card slot formed therein;
  - a headphone module including a carrier removably mounted in the slot;
  - a retractor member mounted on the carrier;
  - a flexible cord extendibly and retractably connected to the retractor member, the cord including at least one headphone connected to a first cord end and a connector connected to a second cord end opposite the first end; and
  - a headphone receptacle on the carrier.
9. (Original) The computer as defined in claim 8 wherein the cord includes two headphones.
10. (Original) The computer as defined in claim 8 wherein the retractor member is a cord reel.
11. (Original) The computer as defined in claim 8 wherein the carrier includes a first end and a second end opposite the first end, the headphone receptacle being at the first end.
12. (Original) The computer as defined in claim 11 wherein the connector is adjacent the headphone receptacle.
13. (Original) The computer as defined in claim 11 wherein the connector is adjacent the second end.

14. (Original) The computer as defined in claim 8 wherein the carrier includes mounting rails.
15. (Previously Presented) A computer system comprising:
  - a chassis having a PC card slot formed therein;
  - a microprocessor in the chassis;
  - a mass storage coupled to the microprocessor;
  - a headphone module including a carrier removably mounted in the slot;
  - a retractor member mounted on the carrier;
  - a flexible cord extendibly and retractably connected to the retractor member, the cord including at least one headphone connected to a first cord end and a connector connected to a second cord end opposite the first end; and
  - a headphone receptacle on the carrier.
16. (Previously Presented) The system as defined in claim 15 wherein the cord includes two headphones.
17. (Previously Presented) The system as defined in claim 15 wherein the retractor member is a cord reel.
18. (Previously Presented) The system as defined in claim 15 wherein the carrier includes a first end and a second end opposite the first end, the headphone receptacle being at the first end.
19. (Previously Presented) The system as defined in claim 18 wherein the connector is adjacent the headphone receptacle.

PATENT

Docket: 16356.633 (DC-02908)  
Customer No. 000027683

20. (Previously Presented) The system as defined in claim 18 wherein the connector is adjacent the second end.
21. (Previously Presented) The system as defined in claim 15 wherein the carrier includes mounting rails.